



The Zodiac LM3 salt water chlorinator provides the perfect solution!



- Advanced electrode for maximum sanitation
- Will not damage pool equipment
- · Easy "set and forget" operation
- Super chlorinate boost function
- Battery back up

Zodiac Salt Water Chlorinator Technology:


Zodiac has pioneered the latest in salt-water technology through advanced engineering and design innovation by introducing the LM3. The Zodiac LM3 salt-water chlorinator is a proven way to destroy harmful bacteria, viruses, dangerous pathogens and algae in pool water as well as guaranteeing crystal clear and brilliantly sparkling natural looking pool water all the time. The LM3 produces its own chlorine when mildly salted water is passed through the Salt Cell. The chlorine that is produced dissolves instantly in the pool water, going to work immediately to safely sanitise the pool. The LM3 chlorinator also produces a small amount of ozone which gives your pool water extra sparkle and freshness.

Through the development of self-cleaning cell plates (a process known as reverse polarity), this technology ensures a reduction in calcium build up (or scale) and keeps the chlorinator cell clean and working at optimal efficiency. In the long term, this process also reduces maintenance costs compared to other standard chlorinators on the market. You can now spend more time enjoying your pool!

The patented LM3 electrode uses superior coating materials and technology to ensure effective and efficient cell performance, quality, reliability and durability. The LM3 incorporates proprietary titanium plates, coated with precious metals to maximize cell life. Backed by Zodiac's comprehensive warranty, the reassurance of top quality equipment as well as technical expertise, experience, prompt and expert after sales service by professional technicians there is a real guarantee of peace of mind.

The benefits of the Zodiac LM3:

- · Crystal clear water
- Reduces the potential for red eyes, skin irritation and unpleasant odours
- Reduces pool maintenance to a minimum
- · Destroys bacteria, viruses and algae in pool water
- Unaffected by bather load, heat or rain
- Produces its own chlorine
- No need to manually add chlorine and store potentially hazardous chemicals.






- (i) Chlorine Output Lights: staged indicator lights show level of chlorine output.
- ② Chlorine Output: controls the amount of chlorine being produced.
- ③ On/Off Button: switches the LM3 unit and filtration system on and off.
- 4 Super Chlorinate: function increases chlorine levels in periods of heavy pool use, extreme temperatures or high rainfall.
- S Add Salt Light: indicates the need to add more salt to pool water.
- No Flow Light: will come on if there is insufficient water flow in the electrode, usually caused by the pump not running or a blockage.
- ① LM3 Electrode: uses Clearwater technology to reduce calcium build up and ensures effective sanitation of pool water by reverse polarity every 5-8 hours.
- (8) Cell Plates: incorporate new electrode plate technology that ensures greater cell efficiency and performance.

Backup Battery: LM3 is fitted with a long life rechargeable battery. If the power is removed, it will retain the output power settings, Super Chlorinate settings, and the mineral sanitiser indicator settings.

LM3 Installation



LM3 Specifications

Models LM3 15; LM3 20; LM3 24; LM3 40 Plumbing 40 / 50mm

Maximum Water Temperature through Electrode 40 degrees
Minimum Salt Level 4,000ppm
Maximum Salt Level 13,000ppm
Maximum Operating Pressure 29psi
Power Requirements 240V

Power Requirements 240V
Minimum Flow Rate 50litres/minute

Vessel Dimensions 380mm (H) x 195mm (W) x 115mm (D)

Product Code	Chlorinator Description	Capacity Cool Climate 6000	Capacity Temperate Climate 4000	Capacity Hot Climate 3000
W387000	LM3 15TS	90,000	60,000	45,000
W387100	LM3 20TS	120,000	80,000	60,000
W386100	LM3 24TS	144,000	96,000	72,000
W386200	LM3 30TS	180,000	120,000	90,000
W386300	LM3 40TS	240,000	160,000	120,000

LM3 series chlorinators should be installed on residential pools only. The salt level in your Zodiac Clearwater pool should never exceed 13,000ppm.

Zodiac Warranty: The Control Unit carries a full two-year warranty and the Electrode carries a five-year warranty (12 months full warranty followed by a further 48 months pro-rata warranty)

Zodiac Group Australia Pty Ltd. Unit 1,23 Rowood Road, Prospect, NSW 2148

<u>Customer Care Line</u>: 1800 688 552

www.zodiac.com.au

For more information ask in store or call Zodiac Group Australia Pty Ltd on 1800 688 552.

Zodiac follows a process of continual product improvement; colours and specifications may change without notice.

Clearwater and Nature² is a registered trademark of Zodiac Group Australia Pty Ltd.