

Confidential

Patient Name _____ Today's Date _____

Age _____ Birthdate _____ Date of last physical examination _____

What is your reason for visit? _____

Symptoms

Check (✓) symptoms you currently have or have had in the past year.

GENERAL

- Chills
- Depression
- Dizziness
- Fainting
- Fever
- Forgetfulness
- Headache
- Loss of sleep
- Loss of weight
- Nervousness
- Numbness
- Sweats

MUSCLE/JOINT/BONE

- Pain, weakness, numbness in:
- Arms
 - Back
 - Feet
 - Hands
 - Hips
 - Legs
 - Neck
 - Shoulders

GENITO-URINARY

- Blood in urine
- Frequent urination
- Lack of bladder control
- Painful urination

GASTROINTESTINAL

- Appetite poor
- Bloating
- Bowel changes
- Constipation
- Diarrhea
- Excessive hunger
- Excessive thirst
- Gas
- Hemorrhoids
- Indigestion
- Nausea
- Rectal bleeding
- Stomach pain
- Vomiting
- Vomiting blood

CARDIOVASCULAR

- Chest pain
- High blood pressure
- Irregular heart beat
- Low blood pressure
- Poor circulation
- Rapid heart beat
- Swelling of ankles
- Varicose veins

EYE, EAR, NOSE, THROAT

- Bleeding gums
- Blurred vision
- Crossed eyes
- Difficulty swallowing
- Double vision
- Earache
- Ear discharge
- Hay fever
- Hoarseness
- Loss of hearing
- Nosebleeds
- Persistent cough
- Ringing in ears
- Sinus problems
- Vision - Flashes
- Vision - Halos

SKIN

- Bruise easily
- Hives
- Itching
- Change in moles
- Rash
- Scars
- Sore that won't heal

MEN only

- Breast lump
- Erection difficulties
- Lump in testicles
- Penis discharge
- Sore on penis
- Other

WOMEN only

- Abnormal Pap Smear
- Bleeding between periods
- Breast lump
- Extreme menstrual pain
- Hot flashes
- Nipple discharge
- Painful intercourse
- Vaginal discharge
- Other

Date of last menstrual period _____

Date of last Pap Smear _____

Have you had a mammogram? _____

Are you pregnant? _____

Number of children _____

Conditions

Check (✓) conditions you currently have or have had in the past year.

- AIDS
- Alcoholism
- Anemia
- Anorexia
- Appendicitis
- Arthritis
- Asthma
- Bleeding Disorders
- Breast Lump
- Bronchitis
- Bulimia
- Cancer
- Cataracts

- Chemical Dependency
- Chicken Pox
- Diabetes
- Emphysema
- Epilepsy
- Glaucoma
- Goiter
- Gonorrhea
- Gout
- Heart Disease
- Hepatitis
- Hernia
- Herpes

- High Cholesterol
- HIV Positive
- Kidney Disease
- Liver Disease
- Measles
- Migraine Headaches
- Miscarriage
- Mononucleosis
- Multiple Sclerosis
- Mumps
- Pacemaker
- Pneumonia
- Polio

- Prostate Problem
- Psychiatric Care
- Rheumatic Fever
- Scarlet Fever
- Stroke
- Suicide Attempt
- Thyroid Problems
- Tonsillitis
- Tuberculosis
- Typhoid Fever
- Ulcers
- Vaginal Infections
- Venereal Disease

Medications

List medications you are currently taking.

Allergies

Pharmacy Name _____ Phone _____

Health History

Please Read: This questionnaire is designed to enable us to understand how much your neck pain has affected your ability to manage everyday activities. Please answer each Section by circling the **ONE CHOICE** that most applies to you. We realize that you may feel that more than one statement may relate to you, but Please **just circle the one choice which closely describes your problem right now.**

SECTION 1--Pain Intensity

- A. I have no pain at the moment
- B. The pain is mild at the moment.
- C. The pain comes and goes and is moderate.
- D. The pain is moderate and does not vary much.
- E. The pain is severe but comes and goes.
- F. The pain is severe and does not vary much.

SECTION 2--Personal Care (Washing, Dressing etc.)

- A. I can look after myself without causing extra pain.
- B. I can look after myself normally but it causes extra pain.
- C. It is painful to look after myself and I am slow and careful.
- D. I need some help, but manage most of my personal care.
- E. I need help every day in most aspects of self-care.
- F. I do not get dressed, I wash with difficulty and stay in bed.

SECTION 3--Lifting

- A. I can lift heavy weights without extra pain.
- B. I can lift heavy weights, but it causes extra pain.
- C. Pain prevents me from lifting heavy weights off the floor but I can if they are conveniently positioned, for example on a table.
- D. Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- E. I can lift very light weights.
- F. I cannot lift or carry anything at all.

SECTION 4 --Reading

- A. I can read as much as I want to with no pain in my neck.
- B. I can read as much as I want with slight pain in my neck.
- C. I can read as much as I want with moderate pain in my neck.
- D. I cannot read as much as I want because of moderate pain in my neck.
- E. I cannot read as much as I want because of severe pain in my neck.
- F. I cannot read at all.

SECTION 5--Headache

- A. I have no headaches at all.
- B. I have slight headaches which come infrequently.
- C. I have moderate headaches which come in-frequently.
- D. I have moderate headaches which come frequently.
- E. I have severe headaches which come frequently.
- F. I have headaches almost all the time.

SECTION 6 -- Concentration

- A. I can concentrate fully when I want to with no difficulty.
- B. I can concentrate fully when I want to with slight difficulty.
- C. I have a fair degree of difficulty in concentrating when I want to.
- D. I have a lot of difficulty in concentrating when I want to.
- E. I have a great deal of difficulty in concentrating when I want to.
- F. I cannot concentrate at all.

SECTION 7--Work

- A. I can do as much work as I want to.
- B. I can only do my usual work, but no more.
- C. I can do most of my usual work, but no more.
- D. I cannot do my usual work.
- E. I can hardly do any work at all.
- F. I cannot do any work at all.

SECTION 8--Driving

- A. I can drive my car without neck pain.
- B. I can drive my car as long as I want with slight pain in my neck.
- C. I can drive my car as long as I want with moderate pain in my neck.
- D. I cannot drive my car as long as I want because of moderate pain in my neck.
- E. I can hardly drive my car at all because of severe pain in my neck.
- F. I cannot drive my car at all.

SECTION 9--Sleeping

- A. I have no trouble sleeping
- B. My sleep is slightly disturbed (less than 1 hour sleepless).
- C. My sleep is mildly disturbed (1-2 hours sleepless).
- D. My sleep is moderately disturbed (2-3 hours sleepless).
- E. My sleep is greatly disturbed (3-5 hours sleepless).
- F. My sleep is completely disturbed (5-7 hours sleepless).

SECTION 10--Recreation

- A. I am able engage in all recreational activities with no pain in my neck at all.
- B. I am able engage in all recreational activities with some pain in my neck.
- C. I am able engage in most, but not all recreational activities because of pain in my neck.
- D. I am able engage in a few of my usual recreational activities because of pain in my neck.
- E. I can hardly do any recreational activities because of pain in my neck.
- F. I cannot do any recreational activities all all.

SIGNATURE: _____ **DATE:** _____

DISABILITY INDEX SCORE: % _____

© **Vernon H and Hagino C, 1991**
(with permission from Fairbank J)

Please Read: This questionnaire is designed to enable us to understand how much your low back has affected your ability to manage everyday activities. Please answer each Section by circling the **ONE CHOICE** that most applies to you. We realize that you may feel that more than one statement may relate to you, but Please **just circle the one choice which closely describes your problem right now.**

SECTION 1--Pain Intensity

- A. The pain comes and goes and is very mild.
- B. The pain is mild and does not vary much.
- C. The pain comes and goes and is moderate.
- D. The pain is moderate and does not vary much.
- E. The pain is severe but comes and goes.
- F. The pain is severe and does not vary much.

SECTION 2--Personal Care

- A. I would not have to change my way of washing or dressing in order to avoid pain.
- B. I do not normally change my way of washing or dressing even though it causes some pain.
- C. Washing and dressing increase the pain, but I manage not to change my way of doing it.
- D. Washing and dressing increase the pain and I it necessary to change my way of doing it.
- E. Because of the pain, I am unable to do any washing and dressing without help.
- F. Because of the pain, I am unable to do any washing or dressing without help.

SECTION 3--Lifting

- A. I can lift heavy weights without extra pain.
- B. I can lift heavy weights, but it causes extra pain.
- C. Pain prevents me from lifting heavy weights off the floor.
- D. Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, e.g. on the table.
- E. Pain prevents me from lifting heavy weights , but I can manage light to medium weights if they are conveniently positioned.
- F. I can only lift very light weights, at the most.

SECTION 4 --Walking

- A. Pain does not prevent me from walking any distance.
- B. Pain prevents me from walking more than one mile.
- C. Pain prevents me from walking more than one mile.
- D. Pain prevents me from walking more than 1/2 mile.
- E. I can only walk while using a cane or on crutches.
- F. I am in bed most of the time and have to crawl to the toilet.

SECTION 5--Sitting

- A. I can sit in any chair as long as I like without pain.
- B. I can only sit in my favorite chair as long as I like.
- C. Pain prevents me from sitting more than one hour.
- D. Pain prevents me from sitting more than 1/2 hour.
- E. Pain prevents me from sitting more than ten minutes.
- F. Pain prevents me from sitting at all.

SECTION 6 -- Standing

- A. I can stand as long as I want without pain
- B. I have some pain while standing, but it does not increase with time.
- C. I cannot stand for longer than one hour without increasing pain.
- D. I cannot stand for longer than ½ hour without increasing pain.
- E. I can't stand for more than 10 minutes without increasing pain.
- F. I avoid standing because it increases pain right away.

SECTION 7--Sleeping

- A. I get no pain in bed.
- B. I get pain in bed, but it does not prevent me from sleeping.
- C. Because of pain , my normal night's sleep is reduced by less than one-quarter.
- D. Because of pain, my normal night's sleep is reduced by less than one-half.
- E. Because of pain, my normal night's sleep is reduced by less than three-quarters.
- F. Pain prevents me from sleeping at all.

SECTION 8--Social Life

- A. My social life is normal and gives me no pain.
- B. My social life is normal, but increases the degree of my pain.
- C. Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g., dancing, etc.
- D. Pain has restricted my social life and I do not go out very often.
- E. Pain has restricted my social life to my home.
- F. Pain prevents me from sleeping at all.

SECTION 9--Traveling

- A. I get no pain while traveling.
- B. I get some pain while traveling, but none of my usual forms of travel make it any worse.
- C. I get extra pain while traveling, but it does not compel me to seek alternative forms of travel.
- D. I get extra pain while traveling which compels me to seek alternative forms of travel.
- E. Pain restricts all forms off travel.
- F. Pain prevents all forms of travel except that done lying down.

SECTION 10--Changing Degree of Pain

- A. My pain is rapidly getting better.
- B. My pain fluctuates, but overall is definitely getting better.
- C. My pain seems to be getting better, but improvement is slow at present.
- D. My pain is neither getting better nor worse.
- E. My pain is gradually worsening.
- F. My pain is rapidly worsening.

DISABILITY INDEX SCORE: % _____